

FOR ELECTRICAL INDUSTRIES




GENERAL LINE

شركة جنرال لاين للصناعات الكهربائية



صُناع التميز



CATALOG



<https://www.facebook.com/Generalline.electric>



www.genralline.com



sales@genralline.com

info@genralline.com

خدمه العملاء

٠١١٠١٠٢٠٥٢٤

المبيعات

٠١٢٨٣٣٠٠٨٣٩

التَّميِّز

صنّاع

FOR ELECTRICAL INDUSTRIES



GENERAL LINE

Y9
واي ناين

LIKE ONE
ليكون

SR

GEN
جين ليد

LED LIGHT
ALBARON
البارون

RUGNDA
روجيندا

Q8
كيوايت

شركة جنرال لاين للصناعات الكهربائية

نبذة تعريفية عن الشركة

1

شركة (جنرال لاين) للصناعات الكهربائية هي إحدى الشركات المصرية الرائدة في تصنيع منتجات الإضاءة بأنواعها المختلفة ، وذلك من خلال مسيرة تصنيعية بدأت منذ عام ٢٠١٦ ، وما زالت مستمرة وتتطور بفضل الله وثقتكم بمنتجاتنا .

3

نجحت الشركة في توطين صناعة الليد والإضاءة في مصر ، وذلك من خلال استخدام التكنولوجيا الحديثة المتطورة على مستوى العالم ، حيث يوجد بالشركة تكنولوجيا متطورة في أقسام (ماكينات زراعة الليد SMT / ماكينات حقن ونفخ البلاستيك .

5

تميز منتجاتنا بتوفير إضاءة فعالة وموثوقة داخلية وخارجية لمختلف البيئات (المنزلية / الصناعية / التجارية) ، وذلك من خلال منتجاتها المتنوعة التي تناسب طبيعة كل بيئة .

2

منذ انطلاق مسيرتنا في عالم الإضاءة والتصنيع، عملنا على تقديم حلول إضاءة فعلية ومنتجات عالية الجودة بتصميمات حديثة وعصرية ترضي احتياجات عملائنا ، وذلك من خلال إنشاء قسم (الابتكار والتصميم) لدينا ، والذي تم استحداثه لمواكبة التطور السريع في عالم الإضاءة مع مراعاة أحدث معايير كفاءة الطاقة إضافة إلى تقليل استهلاك الطاقة وحماية البيئة .

4

تقوم الشركة بتصدير منتجاتها لأنحاء مختلفة من إفريقيا والوطن العربي ، وما زلنا بفضل الله نتوسع في عمليات التصدير ، وذلك نتيجة كفاءة المنتج والتي ظهرت حتى الآن محلياً وعربياً وأفريقياً .

تعمل الشركة على مدار ٢٤ ساعة من خلال فريق عمل من الكفاءات الإدارية / التصنيعية / التسويقية .

نشكركم ونقدر ثقتكم بنا ، وبفضل الله ثم ثقتكم نستمر ونتطور ،
ونعدكم بمواصلة تقديم أفضل المنتجات والخدمات بأفضل الاسعار .

1

جنرال لاين للصناعات الكهربائية



2

YEARS

WARRANTY

منتجات بضمان عامين



[f](#) [@](#) [v](#) general_line [globe](#) www.genalline.com [envelope](#) sales@genalline.com | [info@genalline.com](#)

1

YEAR

WARRANTY

منتجات بضمان عام



[f](#) [@](#) [v](#) general_line [globe](#) www.genalline.com [envelope](#) sales@genalline.com | [info@genalline.com](#)



FLOOD LIGHT (2-YEAR WARRANTY)

50W


TECHNICAL SPECIFICATIONS



POWER	50W
INPUT VOLTAGE	AC 160-265V/ 50-60 HZ
LUMEN	±6000 LM
BASE TYPE	SMD
CRI	> 80
POWER FACTOR (PF)	> 0.9
INGRESS PROTECTION (IP)	66
BODY MATERIAL	ALUMINUM

100W


TECHNICAL SPECIFICATIONS



POWER	100W
INPUT VOLTAGE	AC 160-265V/ 50-60 HZ
LUMEN	±12000 LM
BASE TYPE	SMD
CRI	> 80
POWER FACTOR (PF)	> 0.9
INGRESS PROTECTION (IP)	66
BODY MATERIAL	ALUMINUM

200W

TECHNICAL SPECIFICATIONS




POWER	200W
INPUT VOLTAGE	AC 160-265V/ 50-60 HZ
LUMEN	±24000 LM
BASE TYPE	SMD
CRI	> 80
POWER FACTOR (PF)	> 0.9
INGRESS PROTECTION (IP)	66
BODY MATERIAL	ALUMINUM



LED PANEL 60×60 (2-YEAR WARRANTY)-LENS TYPE

60W

TECHNICAL SPECIFICATIONS




POWER	60W
INPUT VOLTAGE	AC 160-265V/ 50-60 HZ
LUMEN	± 7200 LM
CRI	> 80
POWER FACTOR(PF)	> 0.9
INGRESS PROTECTION (IP)	66
BODY MATERIAL	ALUMINUM


REFLECTOR COLOR
& FRAME COLOR

أبيض لامع	[Glossy White]		
أبيض مطفي	[Matte White]		
أسود لامع	[Glossy Black]		
أسود مطفي	[Matte White]		
فضي مطفي	[Brushed Silver]		
فضي لامع (كروم)	[Shiny Silver Chrome /]		
ذهبي لامع	[Shiny Gold]		
ذهبي مطفي	[Matte Gold]		
برونزي	[Bronze]		
رمادي غامق (جرافيت)	[Matte White]		
نحاسي	[Matte White]		
شامبين (ذهبي فاتح ناعم)	[Dark Grey Graphite /]		

SQUARE SPOTLIGHT CHASSIS





CUTHOLE SIZE: Ø 70mm



مضاد للتوهج

ANTI-GLARE

اسبوت مربع



The outer ring can rotate 360° Without dead angles

Compatible with:

GU5.3

MR16

GU10

يمكن تشكيله ثنائي وثلاثي ورباعي

REFLECTOR COLOR
& FRAME COLOR


أبيض لامع	[Glossy White]		
أبيض مطفي	[Matte White]		
أسود لامع	[Glossy Black]		
أسود مطفي	[Matte White]		
فضي مطفي	[Brushed Silver]		
فضي لامع (كروم)	[Shiny Silver Chrome /]		
ذهبي لامع	[Shiny Gold]		
ذهبي مطفي	[Matte Gold]		
برونزي	[Bronze]		
رمادي غامق (جرافيت)	[Matte White]		
نحاسي	[Matte White]		
شامبين (ذهبي فاتح ناعم)	[Dark Grey Graphite /]		

ROUND SPOTLIGHT CHASSIS




اسبوت دائري

CUTHOLE SIZE: Ø 70mm



The outer ring can rotate 360° Without dead angles





SPOT LIGHT GU 5.3 (2- YEAR WARRANTY)


5W

TECHNICAL SPECIFICATIONS



POWER	5W
INPUT VOLTAGE	175-265
LUMEN	± 600 LM
BASE TYPE	GU 5.3
CRI	> 80
POWER FACTOR(PF)	> 0.9
LIFESPAN	25000 HOURS
BODY MATERIAL	PBT+ ALUMINUM


LED PROFILE(1 -YEAR WARRANTY)



TECHNICAL SPECIFICATIONS

POWER	DC POWER SUPPLY- 12v
COLOR	WHITE- WARM- COOL
LENGTH	5M- 240 LED

LED PROFILE(2 -YEAR WARRANTY)



TECHNICAL SPECIFICATIONS

POWER	DC POWER SUPPLY- 12v
COLOR	WHITE- WARM- COOL
LENGTH	5M- 240 LED

MAGIC BOX

HIGH QUALITY PLASTIC-SHOCK RESISTANT

SIZE 10×7 CM

AVAILABLE IN

- SINGLE MAGIC BOX
- VERTICAL DOUBLE MAGIC BOX






SPOT 6+6 (1 YEAR WARRANTY)

SPOT SKD

6W

TECHNICAL SPECIFICATIONS



POWER	6W IC
INPUT VOLTAGE	AC 165-265V
LUMEN	± 600 LM
TYPE	COB
COLOR	COLD WHITE- WHITE - WARM WHITE
BODY MATERIAL	PP + PS

GLASS PANEL - DRIVER (2 YEAR WARRANTY)

SPOT SKD

6W

TECHNICAL SPECIFICATIONS



POWER	6W DRIVER
INPUT VOLTAGE	AC 110-265V
LUMEN	± 600 LM
TYPE	COB
COLOR	COLD WHITE- WHITE - WARM WHITE
BODY MATERIAL	ALUMINUM + GLASS

SKD

BULB PANEL SPOT

BULB

20 WATT
30 WATT
40 WATT
60 WATT

BULB

9 WATT
12 WATT
15 WATT

SPOT

SPOT 6+6

PANEL

18 WATT OUT
26 WATT OUT
36 WATT OUT
36 WATT IN
50 WATT OUT

التوزيع

منتجات الشركة COMPANY'S PRODUCTS

صناع

PRODUCTS

- 1 BIG BULBS
- 2 BULBS
- 3 PANEL OUT-IN
- 4 SPOT
- 5 SMD FLOOD





PANEL (2 - YEAR WARRANTY)

PANEL SKD




18W - DRIVER



TECHNICAL SPECIFICATIONS

POWER	18W DRIVER
INPUT VOLTAGE	AC 160-265V
LUMEN	±2160 LM
CRI	>80
BODY MATERIAL	ALUMINUM

PANEL SKD




26W - DRIVER



TECHNICAL SPECIFICATIONS

POWER	26W DRIVER
INPUT VOLTAGE	AC 160-265V
LUMEN	±3120 LM
CRI	>80
BODY MATERIAL	ALUMINUM

PANEL SKD




36W - DRIVER




TECHNICAL SPECIFICATIONS

POWER	36W DRIVER
INPUT VOLTAGE	AC 160-265V
LUMEN	±4320LM
CRI	>80
BODY MATERIAL	ALUMINUM

PANEL SKD



50W - DRIVER



TECHNICAL SPECIFICATIONS

POWER	50W DRIVER
INPUT VOLTAGE	AC 160-265V
LUMEN	±6000 LM
CRI	>80
BODY MATERIAL	ALUMINUM



LED PANEL - LENS TYPE - (2 - YEAR WARRANTY)

18W

TECHNICAL SPECIFICATIONS



POWER	18W
INPUT VOLTAGE	185 - 240
LUMEN	±2000 LM
CRI	> 80
POWER FACTOR(PF)	> 0.9
LIFESPAN	3000 HOURS
BEAM ANGLE	120°
BODY MATERIAL	ALUMINUM

26W

TECHNICAL SPECIFICATIONS



POWER	26W
INPUT VOLTAGE	185 - 240
LUMEN	±3000 LM
CRI	> 80
POWER FACTOR(PF)	> 0.9
LIFESPAN	3000 HOURS
BEAM ANGLE	120°
BODY MATERIAL	ALUMINUM

36W

TECHNICAL SPECIFICATIONS



POWER	36W
INPUT VOLTAGE	185 - 240
LUMEN	±4000 LM
CRI	> 80
POWER FACTOR(PF)	> 0.9
LIFESPAN	3000 HOURS
BEAM ANGLE	120°
BODY MATERIAL	ALUMINUM

50W

TECHNICAL SPECIFICATIONS



POWER	50W
INPUT VOLTAGE	185 - 240
LUMEN	±5600 LM
CRI	> 80
POWER FACTOR(PF)	> 0.9
LIFESPAN	3000 HOURS
BEAM ANGLE	120°
BODY MATERIAL	ALUMINUM




PANEL (1-YEAR WARRANTY)

PANEL SKD



18W-DOB



TECHNICAL SPECIFICATIONS

POWER	18W IC
INPUT VOLTAGE	AC 160-265V
LUMEN	±1980 LM
CRI	>80
BODY MATERIAL	PP

PANEL SKD




26W-DOB



TECHNICAL SPECIFICATIONS

POWER	26W IC
INPUT VOLTAGE	AC 160-265V
LUMEN	±2860 LM
CRI	>80
BODY MATERIAL	PP

PANEL SKD




40W-DOB




TECHNICAL SPECIFICATIONS

POWER	40W IC
INPUT VOLTAGE	AC 160-265V
LUMEN	±4400 LM
CRI	>80
BODY MATERIAL	PP

PANEL SKD



50W-DOB



TECHNICAL SPECIFICATIONS

POWER	50W IC
INPUT VOLTAGE	AC 160-265V
LUMEN	±5500 LM
CRI	>80
BODY MATERIAL	PP



LED PANEL - LENS TYPE - (1 - YEAR WARRANTY)

18W



TECHNICAL SPECIFICATIONS

POWER	18W
INPUT VOLTAGE	185-240
LUMEN	±2000 LM
CRI	> 80
POWER FACTOR(PF)	> 0.9
LIFESPAN	3000 HOURS
BEAM ANGLE	120°
BODY MATERIAL	PLASTIC

26W



TECHNICAL SPECIFICATIONS

POWER	26W
INPUT VOLTAGE	185-240
LUMEN	±3000 LM
CRI	> 80
POWER FACTOR(PF)	> 0.9
LIFESPAN	3000 HOURS
BEAM ANGLE	120°
BODY MATERIAL	PLASTIC

40W



TECHNICAL SPECIFICATIONS

POWER	40W
INPUT VOLTAGE	185-240
LUMEN	±4500 LM
CRI	> 80
POWER FACTOR(PF)	> 0.9
LIFESPAN	3000 HOURS
BEAM ANGLE	120°
BODY MATERIAL	PLASTIC

50W



TECHNICAL SPECIFICATIONS

POWER	50W
INPUT VOLTAGE	185-240
LUMEN	±5600 LM
CRI	> 80
POWER FACTOR(PF)	> 0.9
LIFESPAN	3000 HOURS
BEAM ANGLE	120°
BODY MATERIAL	PLASTIC



GENERAL LINE

BULB (2- YEAR WARRANTY)

BULB SKD

7W

TECHNICAL SPECIFICATIONS



POWER	7W DOB
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 160-265V
LUMEN	840 LM
CRI	>80
POWER FACTOR	>95%
LAMP BODY MATERIAL	PC+PBT+ ALUMINUM

BULB SKD

9W

TECHNICAL SPECIFICATIONS



POWER	9W DOB
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 160-265V
LUMEN	1080 LM
CRI	>80
POWER FACTOR	>95%
LAMP BODY MATERIAL	PC+PBT+ ALUMINUM

BULB SKD

12W

TECHNICAL SPECIFICATIONS



POWER	12W DOB
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 160-265V
LUMEN	1440 LM
CRI	>80
POWER FACTOR	>95%
LAMP BODY MATERIAL	PC+PBT+ALUMINUM

BULB SKD

15W

TECHNICAL SPECIFICATIONS



POWER	15W DOB
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 160-265V
LUMEN	1800 LM
CRI	>80
POWER FACTOR	>95%
LAMP BODY MATERIAL	PC+PBT+ALUMINUM

BULB SKD

25W

TECHNICAL SPECIFICATIONS



POWER	25W DOB
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 160-265V
LUMEN	3000 LM
CRI	>80
POWER FACTOR	>95%
LAMP BODY MATERIAL	PC+PBT+ALUMINUM



BULB (2 - YEAR WARRANTY)

BULB SKD

20W

TECHNICAL SPECIFICATIONS



POWER	20W DOB
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 160-265V
LUMEN	2400 LM
CRI	>80
POWER FACTOR	>95%
LAMP BODY MATERIAL	PC+PBT+ ALUMINUM

BULB SKD

30W

TECHNICAL SPECIFICATIONS



POWER	30W DOB
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 160-265V
LUMEN	3600 LM
CRI	>80
POWER FACTOR	>95%
LAMP BODY MATERIAL	PC+PBT+ALUMINUM

BULB SKD

40W

TECHNICAL SPECIFICATIONS



POWER	40W DOB
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 160-265V
LUMEN	4800 LM
CRI	>80
POWER FACTOR	>95%
LAMP BODY MATERIAL	PC+PBT+ALUMINUM

BULB SKD

50W

TECHNICAL SPECIFICATIONS



POWER	50W DOB
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 160-265V
LUMEN	6000 LM
CRI	>80
POWER FACTOR	>95%
LAMP BODY MATERIAL	PC+PBT+ALUMINUM



BULB (1-YEAR WARRANTY)

BULB SKD

7W

TECHNICAL SPECIFICATIONS

POWER	7W IC
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 185-265V
LUMEN	700 LM
CRI	>80
LAMP BODY MATERIAL	PP

BULB SKD

9W

TECHNICAL SPECIFICATIONS

POWER	9W IC
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 185-265V
LUMEN	900 LM
CRI	>80
LAMP BODY MATERIAL	PP

BULB SKD

12W

TECHNICAL SPECIFICATIONS

POWER	12W IC
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 185-265V
LUMEN	1200 LM
CRI	>80
LAMP BODY MATERIAL	PP

BULB SKD

15W

TECHNICAL SPECIFICATIONS

POWER	
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 185-265V
LUMEN	1500 LM
CRI	>80
LAMP BODY MATERIAL	PP



BULB (1-YEAR WARRANTY)

BULB SKD

25W

TECHNICAL SPECIFICATIONS



POWER	25W IC
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 185-265V
LUMEN	2500 LM
CRI	>80
LAMP BODY MATERIAL	PP+ ALUMINUM

BULB SKD

35W

TECHNICAL SPECIFICATIONS



POWER	35W IC
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 185-265V
LUMEN	3500 LM
CRI	>80
LAMP BODY MATERIAL	PP+ ALUMINUM

BULB SKD

45W

TECHNICAL SPECIFICATIONS



POWER	45W IC
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 185-265V
LUMEN	4500 LM
CRI	>80
LAMP BODY MATERIAL	PP+ ALUMINUM

BULB SKD

65W

TECHNICAL SPECIFICATIONS



POWER	65W IC
COLOR TEMPERATURE	8000K-9000K
INPUT VOLTAGE	AC 185-265V
LUMEN	6500 LM
CRI	>80
LAMP BODY MATERIAL	PP+ ALUMINUM



Certificate of Registration

This is to Certify that the Quality Management System of

GENERAL IMPORT AND EXPORT

SHAQRAF, OWNED BY ABDUL LATIF ABBAS MABROUK AL-GHAZAIRI,
TANTA CENTER, AL-GHARBIA, EGYPT

Has been assessed and found to conform to the requirements of

ISO 9001:2015

This certificate is valid for the following scope

MANUFACTURE OF LED BULB AND MODERN LIGHTING SUPPLIES

Certificate No.: 250805012002

Initial Registration Date: 05.08.2025

Issuance Date: 05.08.2025

Date of Expiry* : 04.08.2028

1st Surveillance Due : 05.07.2026

2nd Surveillance Due : 05.07.2027

Director: *Walid M.*



Al-Noor For Certification , Training & Import

Ph&Fax: +20663262324, Mob: +201228163670 , +201004884221

email: info@noor-eg.com

website: www.noor-eg.com

Building No. 34, 2nd Floor, Elshahid Tayar Mostafa Mohamed Yousef Noman Street - Port Said - Egypt

FOR ELECTRICAL INDUSTRIES



GENERAL LINE

شركة جنرال لاين للصناعات الكهربائية

عرض الكتالوج
Catalog



SCAN ME

بيانات التواصل للشركة
Contact us

